

MICC

Light Duty Cable (500V)

Cable size	One hole clips		Two way saddles		Cable diameter		Approximate amps	
	Bare RC	PVC RCHJ	Bare RS	PVC RSFJ	Bare mm	PVC mm	Bare amps	PVC amps
2L1.0	20	30	202	272	5.1	6.6	16.5	18.5
2L1.5	22	32	222	302	5.7	7.2	21.0	23.0
2L2.5	26	34	272	342	6.6	8.1	28.0	31.0
2L4.0	30	40	302	382	7.7	9.4	36.0	40.0
3L1.0	22	32	242	302	5.9	7.3	13.5	15.0
3L1.5	24	34	272	342	6.4	7.9	17.0	19.0
3L2.5	28	37	302	382	7.3	9.0	23.5	26.0
4L1.0	24	34	272	342	6.3	7.8	13.5	15.0
4L1.5	28	37	302	342	7.0	8.5	17.5	19.5
4L2.5	32	43	342	422	8.1	9.8	23.5	26.0
7L1.5	32	43	342	422	8.4	10.1	12.0	13.0
7L2.5	37	47	382	462	9.7	11.4	16.0	17.5

Heavy Duty Cable (750V)

Cable size	One hole clips		Two way saddles		Cable diameter		Approximate amps	
	Bare RC	PVC RCHJ	Bare RS	PVC RSFJ	Bare mm	PVC mm	Bare amps	PVC amps
1H6.0	24	34	272	342	6.4	7.9	47.0	52.0
1H10.0	28	37	302	382	7.3	9.0	63.0	70.0
1H16.0	32	43	342	422	8.3	10.0	83.0	92.0
1H25.0	37	47	382	462	9.6	11.3	108.0	120.0
1H35.0	40	51	422	502	10.7	12.4	132.0	147.0
1H50.0	47	54	502	542	12.1	13.9	163.0	181.0
1H70.0	54	63	542	632	13.7	15.4	199.0	221.0
1H95.0	59	71	632	702	15.4	17.7	238.0	264.0
1H120.0	63	79	702	752	16.8	19.1	273.0	303.0
1H150.0	71	84	752	812	18.4	20.7	311.0	346.0
1H185.0	79	93	812	932	20.4	23.2	353.0	392.0
1H240.0	88	105	932	1042	23.3	26.1	411.0	457.0
2H1.5	30	40	342	382	7.9	9.6	22.5	25.0
2H2.5	34	43	342	422	8.7	10.4	31.0	34.0
2H4.0	37	47	422	462	9.8	11.5	41.0	45.0
2H6.0	43	54	462	502	10.9	12.6	51.0	57.0
2H10.0	47	59	502	592	12.7	14.4	69.0	77.0
2H16.0	54	67	592	702	14.7	16.4	92.0	102.0
2H25.0	67	79	702	812	17.1	19.4	120.0	133.0
3H1.5	32	43	342	422	8.3	10.0	19.0	21.0
3H2.5	37	47	382	462	9.3	11.0	25.0	28.0
3H4.0	40	51	422	502	10.4	12.1	33.0	37.0
3H6.0	43	54	462	542	11.5	13.2	43.0	48.0
3H10.0	54	63	542	632	13.6	15.3	59.0	65.0
3H16.0	59	71	632	752	15.6	17.9	77.0	86.0
3H25.0	71	84	752	812	18.2	20.5	101.0	112.0
4H1.5	34	47	382	462	9.1	10.8	19.0	21.0
4H2.5	40	51	422	462	10.1	11.8	25.0	28.0
4H4.0	43	54	462	542	11.4	13.1	33.0	37.0
4H6.0	47	59	502	592	12.7	14.1	42.0	47.0
4H10.0	54	67	592	702	14.8	16.5	58.0	64.0
4H16.0	67	79	702	812	17.3	19.6	77.0	85.0
4H25.0	79	93	812	932	20.1	22.9	99.0	110.0
7H1.5	43	51	462	502	10.8	12.5	13.0	14.5
7H2.5	47	54	502	542	12.1	13.8	17.5	19.5
12H2.5	59	71	632	752	15.6	17.9	14.5	16.0
19H1.5	63	75	702	752	16.6	18.9	9.0	10.0

No liability can be accepted for the above data which is given for guidance only.